RAMSES 725

Item no.: 7250030



Climate control Clock thermostats

Description

- Analogue clock thermostat with a low profile design for timedependent monitoring and control of room temperature
- Mains version
- Tappet program disc with daily or weekly program
- Synchronous motor drive
- Reduced temperature can be set
- Central control of reduced temperature as per time program
- Electronic temperature control
- Operating point and electronic recirculation are set from the front
- Party switch and program display
- Electronic temperature control
- Selector switch for operating mode: con-tinuous reduced temperature, continuous normal temperature, automatic mode, frost and plant protection +6 °C




Technical data

	RAMSES 725
Operating voltage	230 V AC
Frequency	50 Hz
Type of contact	Changeover contact
Installation type	Wall installation
Program	Daily/weekly program
Switching capacity	6 A at 250 V AC, $\cos \phi$ = 1, 1 A at 250 V AC, $\cos \phi$ = 0.6
Switching differential	1.5 K
Switching output	Potential-free, not for SELV
Suitable for SELV	No

	RAMSES 725
Setting range temperature	10°C 30°C
Shortest switching times	20 min, 120 min
Programmable every	5 min, 30 min
Time accuracy at 25 °C	Synchronised with mains
Stand-by consumption	~1.4 W
Display	1 LED Heizen
Colour	White
Type of protection	IP 20
Protection class	II according to EN 60 730-1

Connection example




RAMSES 725

Item no.: 7250030



Scale drawings



Accessories

Adapter RAMSES 72x/78x Item no.: 9070245



Actuator ALPHA 5 230 V Item no.: 9070441



Actuator ALPHA 5 24 V Item no.: 9070442

